



50	990	14	9.90	6	12.30	73.77
51	1070	20	11.20	10	27.66	276.64
52	922	22	10.22	5	31.60	158.00
53	924	14	9.24	6	11.48	68.86
54	43	10	1.50	37	0.96	35.41
55	814	20	8.14	6	20.11	120.63
56	635	12	6.35	12	5.84	70.10
57	300	16	3.36	50	5.45	272.33
a = 952, 953, 954,						
956, 957, 958, 960,						
961, 962, 964, 965,						
966, 968, 969, 970,						
972, 973, 974, 976,						
977, 979, 980, 981,						
983, 984, 985, 987,						
988, 989, 991, 992,						
993, 995, 998, 997,						
999, 1000, 1001,						
1003, 1004, 1005,						
1007, 1008, 1009,						
1011, 1012, 1014,						
1015, 1016, 1018						
58	a	10	*9.85	1 x 50	*6.28	314.08
a = 884, 886, 887,						
888, 890, 891, 892,						
894, 895, 897, 898,						
899, 901, 902, 903,						
905, 906, 907, 909,						
910, 911, 913, 914,						
916, 917, 918, 920,						
921, 922, 924, 925,						
926, 928, 929, 930,						
932, 933, 935, 936,						
937, 939, 940, 941,						
943, 944, 945, 947						

60	a	10	*8.52	1 x 21	*5.44	114.18
a = 825, 826, 831,						
833, 836, 839, 841,						
844, 847, 850, 852,						
855, 858, 860, 863,						
866, 868, 871, 874,						
877, 879						
61	71	10	2.32	211	1.48	312.31
62	818	16	8.18	20	13.26	265.20
63	818	12	8.18	4	7.53	30.10
64	1200	12	12.00	106	11.04	1170.24
65	549	16	5.49	22	8.90	195.78
66	549	12	5.49	4	5.05	20.20
67	79	10	2.82	105	1.80	188.91
68	80	10	1.69	1015	1.08	1094.39
69	40	10	0.89	1015	0.57	576.34
70	640	10	6.40	29	4.08	118.41
71	40	10	0.92	354	0.59	207.78
72	24	8	1.02	52	0.42	21.64

Palice - specifikacija						
Ozn.	Otlik in mere (cm)	Ø (mm)	L (m)	kd (kos)	Teža palice (kg)	Teža položja (kg)
Plošča nad nadstropjem (1 kos)						
1	70	10	1.58	1409	1.01	1420.33
2	1200	16	12.00	202	19.45	3929.30
3	494	16	4.94	24	8.01	192.19
4	334	16	3.34	44	5.41	238.22
5	1034	16	10.34	8	16.76	134.09
6	254	16	2.54	28	4.12	115.29
7	790	16	7.90	4	12.81	51.22
8	414	16	4.14	8	6.71	53.69
9	734	16	7.34	8	11.90	95.19
10	873	16	8.73	6	14.15	84.91
11	200	14	2.00	144	2.48	357.70
12	594	16	5.94	18	9.63	173.32
13	154	10	3.26	96	2.08	199.67
14	154	16	2.74	4	4.44	17.77
15	274	10	2.74	6	1.75	10.49
16	45	10	1.16	1781	0.74	1318.08
17	15	10	0.79	3050	0.50	1537.26
18	100	10	2.18	1204	1.39	1674.57
19	785	10	7.85	100	5.01	500.83
20	300	14	3.36	872	4.17	3638.96
21	200	12	2.36	329	2.17	714.32
22	550	14	5.86	252	7.28	1834.09
23	a	10	*2.22	6 x 7	*1.42	59.53
a = 311, 281, 252,						
222, 193, 163, 133						
24	15	10	1.03	252	0.66	165.60
25	18	10	1.28	56	0.82	45.73
26	354	16	3.54	24	5.74	137.72
27	674	16	6.74	16	10.93	174.81
28	247	16	2.47	4	4.00	16.02
29	222	16	2.22	4	3.60	14.39
30	814	16	8.14	4	13.19	52.78
31	537	16	5.37	8	8.70	69.64
32	45	10	1.21	176	0.77	135.87
33	70	12	1.78	31	1.64	50.77
34	90	8	0.96	79	0.39	30.94
35	71	10	1.90	33	1.21	40.00
36	600	20	6.50	3	16.05	48.17
37	594	12	5.94	6	5.46	32.79
38	63	10	2.20	53	1.40	74.39
39	814	12	8.14	6	7.49	44.93
40	968	20	9.68	5	24.35	121.77
41	746	16	7.46	4	12.09	48.37
42	532	16	5.32	8	8.62	68.99
43	180	16	1.80	8	2.92	23.34
44	814	16	8.14	4	13.19	52.78
45	574	16	5.74	4	9.30	37.22
46	300	16	3.00	4	4.86	19.45
47	789	16	7.89	4	12.79	51.16
48	68	10	2.30	124	1.47	181.96
49	990	22	10.90	5	33.70	168.51

OPOMBA: ARMATURNI NAČRT GLEJ SKUPAJ Z OSTALIMI NAČRTI!
MERE PREVERITI NA LICU MESTA!

* Prekop armaturnih palic je 50xØ

Element	Kvaliteta betona	Razred izpostavljenosti	Dmax [mm]	Krovni sloj [mm]	Kvaliteta armature
Podložni beton	C 16/20	XCD	32	/	/
Vodnjaki	C 25/30	XC2, PV-II	32	50	B 500B
Temeljna plošča	C 30/37	XC2, PV-II	32	50	B 500B
Vklopne stene	C 30/37	XC2, PV-II	22	50	B 500B
Elažne in strešne plošče	C 30/37	XC1, PV-I	22	30	B 500B
Stene in nosilci	C 30/37	XC1, PV-I	22	30	B 500B